

A Review On Artificial Intelligence For Thyroid Nodule Ultrasound

Muskan.K. Bhatiya¹, Dr.Rashmi Walke²

¹UG SCHOLAR, Ravi Nair Physiotherapy College, Datta Meghe Institute Of Medical Sciences, Sawangi Meghe, Wardha, Maharashtra, India

²Associate Professor Department Of Cardio-Respiratory Physiotherapy, Ravi Nair Physiotherapy College, Datta Meghe Institute Of Medical Sciences, Sawangi Meghe, Wardha, Maharashtra, India

Email: muskanbhatiya34@gmail.com

DOI: 10.47750/pnr.2022.13.S06.389

Abstract

Ultrasound is a versatile green imaging modality that is rapidly gaining traction as a first-line imaging tool in a variety of clinical settings, thanks to the ongoing development of sophisticated ultrasonic technology and the well-established Ultrasound-based digital health system. Thyroid nodules are tumours that are mostly benign, but can be malignant and invasive malignancies. These tumours are curable and become more common as people get older. The size and ultrasound features are used to determine whether or not an ultrasonography-guided biopsy should be performed. The American Thyroid Association's thyroid nodule recommendations count the number of benign or suspicious ultrasonography findings before recommending biopsy or observation depending on the size of the nodule.

INTRODUCTION

Following the continued evolution of improved ultrasonic technologies and the well-established US-based digital health system, ultrasound (US), a flexible green imaging modality, is developing globally as a first-line imaging approach in different clinical sectors. In fact, qualified physicians in the United States should manually gather and visually review photos for disease diagnosis, identification, and monitoring. Because of the inherent trait of significant operator-dependence from US, diagnostic performance is necessarily lowered. Artificial intelligence (AI) on the other hand excels in automatically recognising complicated patterns and providing quantitative assessments for imaging data, indicating that it has a lot of potential to help physicians get more accurate and repeatable outcomes. We will give a general overview of AI, machine learning (ML), and deep learning (DL) technology in this article. Thyroid nodules are tumors, most of which are benign, but some of which are malignant and invasive cancers. These tumors are treatable and increase in frequency with age. They are more common in women. Nodules are an enlargement of the thyroid gland that can often be felt by your physician at the time. The procedure of choice for assessing thyroid nodules is fine needle aspiration (FNA). It's recommended for nodules larger than 2 cm, even if there's just a remote chance they're cancerous. FNA comes with its own set of dangers and costs. In this study, we used a deep learning algorithm to create an image analysis model and tested it to see if it could identify thyroid nodules from benign FNA findings. In patients with a history of prior radiation treatment to the neck—either near the thyroid gland or near a gland called the thymus (such radiation treatment was popular in past decades, although it is no longer used)—the risk of nodules is high. These nodules tend to develop long after the treatment¹⁻¹⁵.

Limitations –When examining thyroid nodules, ultrasound is a convenient and reliable diagnostic tool. In most cases, one representative image is sufficient to determine the nature of the nodule. As a result, we are a good fit for the DL concept. Regardless, there is a lot of intra- and inter-reader variability in us image collection, so there's still a potential that a thyroid nodule capture image won't show the entire lesion. Thyroid nodule DL analysis is completely based on US findings¹⁶⁻²⁵.

Indications - Ultrasounds can offer your doctor with high-resolution images of your organs, which can help them better understand your overall health. If your doctor notices any unusual swelling, discomfort, or infections, they may order an ultrasound to rule out any underlying problems that could be causing these symptoms. If your doctor needs to take a sample of your thyroid or adjacent tissues to rule out any existing abnormalities, ultrasounds may be utilised²⁶⁻³⁵.

Review

The use of DL in the diagnosis of thyroid nodules is still in the early stages of development. There are various difficulties in terms of collecting US pictures efficiently, determining a reasonable threshold for forecasting malignancy, and properly including indeterminate nodules in the dataset. Although the currently developed DL cannot completely replace normal practise in the identification of thyroid nodules, it may one day be used as a supplementary tool to aid in the decision-making process for biopsy and surgery. There are certain limitations to this research. First, we thought Bethesda Category V and VI were cancerous. However, based on surgical histology, group V and even category VI may be "truly benign" in some

circumstances. Although no category V or VI nodules in this study were found to be benign after surgery (data not shown), it should be noted that the proportion of Bethesda category V and VI nodules that are malignant differs between institutes. Second, the DLA diagnosed certain FNA benign nodules as cancerous (low specificity). Image analysis via DLA is frequently found to have lower specificity. The DLA in this investigation detected malignant features of nodules sensitively and classed them as malignant if any of those traits were suspicious, according to the findings³¹⁻³⁴.

Discussion

According to the proportion of malignancy, the algorithm's sensitivity ranged from

91.2 percent to 100 percent, and its NPV ranged from 90.3 percent to 100 percent for the external test set. Based on the premise that the prevalence of malignancy (Bethesda Category V/VI) in the external test set was similar to the 9.3 percent reported in literature, the DLA's sensitivity and NPV were 100 percent in this investigation. In a prior study, the diagnosis accuracy of image analysis technology and radiologists was compared. The study used radiologists' diagnoses to train a software that can only predict US category, not cytologic or histologic results. Because FNA of the nodules would still be required if appropriate, the clinical value of such models may be restricted. In contrast, because it was trained on cytologic or histologic test results, we built a DLA that has clinical significance in terms of FNA decision-making. The DLA's strong NPV in this study implies that it could help clinicians make better decisions and avoid unnecessary FNA.

CONCLUSION

We created a DLA to analyse thyroid ultrasound pictures. Although highly experienced physicians outperform DLA in this trial, the DLA's sensitivity and NPV are promising. In the near future, using artificial intelligence to evaluate thyroid nodules could help clinicians reduce the amount of needless FNAs. After their usefulness has been shown in bigger series, such image analysis models are likely to be widely utilised.

REFERENCES

1. A Computer-Aided Diagnosis System Using Artificial Intelligence for the Diagnosis and Characterization of Thyroid Nodules on Ultrasound: Initial Clinical Assessment. *Thyroid* 2017;27:546-52. 7.
2. Jeong EY, Kim HL, Ha EJ, et al. Computer-aided diagnosis system for thyroid nodules on ultrasonography: diagnostic performance and reproducibility based on the experience level of operators. *Eur Radiol* 2019;29:1978-85.
3. Chai YJ, Kim SJ, Kim SC, et al. BRAF mutation in follicular variant of papillary thyroid carcinoma is associated with unfavourable clinicopathological characteristics and malignant features on ultrasonography. *Clin Endocrinol (Oxf)* 2014;81:432-9.
4. Ma J, Wu F, Zhu J, et al. A pre-trained convolutional neural network based method for thyroid nodule diagnosis. *Ultrasonics* 2017;73:221-30.
5. Frates MC, Benson CB, Charboneau JW, et al. Management of thyroid nodules detected at US: Society of Radiologists in Ultrasound consensus conference statement. *Ultrasound Q* 2006;22:231-8; discussion 239-40.
6. Nirmal, Apoorva, Gajendra Agrawal, Sunil Kumar, Sourya Acharya, Akshay Dafal, and Dwivedi Bhushan. "Echocardiographic Assessment of Cardiac Function in Liver Cirrhosis: A Cross-Sectional Study." *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*, 2021. <https://doi.org/10.7860/JCDR/2021/45792.14881>.
7. Nisargandha, Milind Abhimanyu, and Shweta Dadarao Parwe. "Evaluation of Spermatogenic Action in the Management of Oligospermia." *International Journal of Pharma and Bio Sciences* 11, no. 2 (April 15, 2021): 218-23. <https://doi.org/10.22376/ijpbs/lpr.2021.11.2.P218-223>.
8. "[No Title Found]." *INTERNATIONAL JOURNAL OF PHARMACEUTICAL SCIENCES AND RESEARCH* 12, no. 1 (n.d.).
9. Padmane, Ekta, and Samruddhi Gujar. "Case Report on Hydatid Cysts with Hydropneumothorax." *Journal of Pharmaceutical Research International*,

November 15, 2021, 1–5. <https://doi.org/10.9734/jpri/2021/v33i50A33375>.

10. Padmawar, Shubham, Dr. Suhas Landge, Prateek Upadhyay, and Mitali Madhusmita. “A Functional and Radiological Outcome Analysis of Hip Forage Procedure, Done for Early Stages(Ficat and Arlet Grade 1 and 2A) of Avascular Necrosis of Head of Femur.” *Journal of Pharmaceutical Research International*, December 11, 2021, 97–105. <https://doi.org/10.9734/jpri/2021/v33i54B33770>.
11. Palkrit, Sakshi, Waqar M. Naqvi, and Tasneem Burhani. “Physiotherapeutic Approach in Stress Urinary Incontinence with Prolapsed Uterus: A Case Report.” *Journal of Pharmaceutical Research International*, June 30, 2021, 54–59. <https://doi.org/10.9734/jpri/2021/v33i34A31822>.
12. Panbude, Mahima Dipak, Mayuri Manikrao Paropate, Mansi Vinod Pande, Priyanka Dayaram Pal, Chatur Kamlakar Patil, and Ranjana Premnath Sharma. “Evaluation of Effectiveness of Information Booklet Regarding Self-Care among Patients Receiving Chemotherapy in Selected Hospitals of Wardha and Nagpur, India.” *Journal of Evolution of Medical and Dental Sciences* 10, no. 18 (May 3, 2021): 1329–33. <https://doi.org/10.14260/jemds/2021/280>.
13. Pandey, Aishvarya. “Neurological Disorders Due To Malnourishments.” *Bioscience Biotechnology Research Communications* 14, no. 6 (June 15, 2021): 45–48. <https://doi.org/10.21786/bbrc/14.6.10>.
14. Pandey, Milind, Sunita Vagha, Raunak Kotecha, and Anchal Manchanda. “Primary Gastric Lymphoma (Diffuse Large B Cell Type).” *Journal of Pharmaceutical Research International*, July 13, 2021, 54–57. <https://doi.org/10.9734/jpri/2021/v33i37A31979>.
15. Pandey, Milind, Sunita Vagha, Gaurav Mahajan, and Anchal Manchanda. “A Brief Study on Retroperitoneal Paraganglioma.” *Journal of Pharmaceutical Research International*, July 31, 2021, 64–66. <https://doi.org/10.9734/jpri/2021/v33i39B32184>.
16. Pandey, Vidya Bhushan, Renu Bharat Rathi, Bharat Rathi, and Jitesh Verma. “Evaluation of Comparative Efficacy of Brahmi vs. Haritaki Extract in the Management of Academic Stress in Adolescent Students- A Prakriti Based Double-Blind Randomized Controlled Trial.” *Journal of Pharmaceutical Research International*, November 6, 2021, 159–69. <https://doi.org/10.9734/jpri/2021/v33i48A33233>.
17. Pandya, Naman Kirit, and Utsav Umang Bhatt. “Inflammatory Myofibroblastic Tumor of Hard Palate: A Lesion of Extreme Rarity.” *Pan African Medical Journal* 38 (2021). <https://doi.org/10.11604/pamj.2021.38.267.28236>.
18. Pandya, Naman Kirit, and Anendd Arroon Jadhav. “Descending Necrotising Fasciitis of Head and Neck Secondary to Insect Bite: Report of a Rare Case.” *Pan African Medical Journal* 38 (2021). <https://doi.org/10.11604/pamj.2021.38.271.28594>.
19. Parate, Ashutosh, Vasant Gawande, Suvarn Gupta, Ankit Jaiwal, Ashwin Chavan, and Kunal Saoji. “A Comparative Study of Functional Outcome of Olecranon Fractures Managed with Tension Band Wiring Using K Wires with Tension Band Wiring Using Cancellous Screws Fixation.” *Journal of Pharmaceutical Research International*, July 15, 2021, 193–98. <https://doi.org/10.9734/jpri/2021/v33i37A31996>.
20. Pardasani, Rajiv, and Sohan Lohiya. “Study of Changes in Corneal Thickness and Corneal Endothelial Cell Density after Phacoemulsification Cataract Surgery.” *Journal of Evolution of Medical and Dental Sciences* 10, no. 12 (March 22, 2021): 866–72. <https://doi.org/10.14260/jemds/2021/187>.
21. Pardhekar, Ashvini Dinesh Rao, Sadhana Misar(Wajpeyi), and Vinod Ade. “Protocol on Comparative Clinical Efficacy of Tryshunadi Guggul and Navaka Guggul in Sthoulya (Overweight).” *Journal of Pharmaceutical Research International*, June 2, 2021, 169–75. <https://doi.org/10.9734/jpri/2021/v33i30A31628>.
22. Parihar, Pratapsingh Hanumantsingh, and Sharvari Shashikant Gulve. “Mediastinal Extension of Pancreatic Pseudocyst – A Case Report.” *Journal of Evolution of Medical and Dental Sciences* 10, no. 5 (February 1, 2021): 316–18. <https://doi.org/10.14260/jemds/2021/70>.
23. Parsodkar, Rucha P., Aliabbas A. Husain, Gargi D. Mudey, Lokendra R. Singh, and Rajpal S. Kashyap. “Diagnosis of Bacterial Meningitis and AMR Profile Using Molecular and Immunological Techniques.” *Journal of Pharmaceutical Research International*, July 22, 2021, 89–105. <https://doi.org/10.9734/jpri/2021/v33i38A32063>.
24. Parveen, Sana, Shraddha Jain, Sunil Kumar, Sourya Acharya, and Dhruv Talwar. “Evolution of Middle Ear Modelling Techniques: A Review.” *Cureus*, December 30, 2021. <https://doi.org/10.7759/cureus.20829>.
25. Parwe, Shweta, Poonam Ashtankar, Piyush Bhagwat, and Milind Nisargandha. “Study the Efficacy of Rodhradigana Vasti in the Management of Sthaulya (Overweight).” *Journal of Pharmaceutical Research International*, July 2, 2021, 158–66. <https://doi.org/10.9734/jpri/2021/v33i34B31858>.
26. Parwe, Shweta, Sandip Jadhav, and Milind Nisargandha. “Comparative Clinical Trial on Aragwadha Erand and Trivrutta Eranda Nitya Virechana in Gridhrasi (Lumbago Sciatica Syndrome): A Study Protocol.” *Journal of Pharmaceutical Research International*, July 29, 2021, 68–74. <https://doi.org/10.9734/jpri/2021/v33i39A32143>.
27. Parwe, Shweta, Manju Mohan, Piyush Bhagwat, and Milind Nisargandha. “Effect of Rodhradi Gana Udavartana in the Management of Sthaulya (Overweight) with Special Reference to Obesity.” *International Journal of Pharma and Bio Sciences* 11, no. 3 (May 4, 2021). <https://doi.org/10.22376/ijpbs/lpr.2021.11.1.L30-37>.
28. Parwe, Shweta, Swati Tikale, Puja Shrivastav, and Milind Nisargandha. “A Critical Review on Formulations Used in the Management of Malavstambha (Constipation).” *Journal of Pharmaceutical Research International*, June 30, 2021, 92–100. <https://doi.org/10.9734/jpri/2021/v33i34A31828>.
29. (Pate), Meenakshi Yeola, Kushagra Singh, Darshana Tote, Azeem Javed Aalam, and Pankaj Gharde. “Metastatic Carcinoma Breast Presenting as Appendicular Abscess.” *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*, 2021. <https://doi.org/10.7860/JCDR/2021/44398.14412>.
30. Patel, Abhi, Swarupa Chakole, and Neha Bhatt. “Psychological Stress Due to Covid-19 on Pregnant Women in Post Partal Period.” *Journal of Pharmaceutical Research International*, December 16, 2021, 458–61. <https://doi.org/10.9734/jpri/2021/v33i58B34225>.
31. Patel, Aditya, Samrudhi Gujar, Savita Pohekar, Ruchira Ankar, Arati Raut, Sheetal Sakharkar, Vaishali Tembhare, and Pranali Wagh. “Non-Hodgkin’s Lymphoma: A Case Report.” *Journal of Pharmaceutical Research International*, December 8, 2021, 264–67. <https://doi.org/10.9734/jpri/2021/v33i53B33705>.
32. Patel, Divyank, Zainab Gandhi, Rupak Desai, Jilmil Raina, Vikram Itare, Fariah Asha Haque, Taha Saeed, et al. “Impact of Alcohol Use Disorder on Stroke Risk in Geriatric Patients with Prediabetes: A Nationwide Analysis.” *International Journal of Clinical Practice* 75, no. 9 (September 2021). <https://doi.org/10.1111/ijcp.14477>.
33. Patel, Drashti. “Covid-19 In Pregnant Women.” *Bioscience Biotechnology Research Communications* 14, no. 6 (June 15, 2021): 275–79. <https://doi.org/10.21786/bbrc/14.6.58>.
34. Patel, Leksha Atul, Vaishnavi Dilip Yadav, Moli Jai Jain, and Om C. Wadhokar. “Positive Outcomes of Comprehensive Exercise Program on Restoration of Functional Level and Quality of Life in a Patient with Rheumatic Heart Disease Undergone Mitral Valve Replacement: A Case Report.” *Journal of Pharmaceutical Research International*, October 15, 2021, 379–84. <https://doi.org/10.9734/jpri/2021/v33i46A32879>.